

eNet660S Intelligent Gateway



#1 In Service & Support Since 1992.

Features

- All-in-one device supports Voice, Data and Wireless access for small office
- Support up to 8 VoIP trunks
- Support up to 6 PSTN trunks
- Built-in 802.11n Wi-Fi access point
- Support 24 wired/wireless IP Terminals and one Analog Terminal Intelligent Call Server
- Built-in SIP proxy
- Automatic fall-back to PSTN line calling when power fails
- Auto attendant and Voice Mail
- NAT and Routing function
- Support Remote Auto Provisioning

The eNet660S Intelligent Gateway is a total business communication solution for the small business. It is an all-in-one solution that provides voice, voicemail, and direct access to the internet as well as built in 802.11g/n wireless access. This solution is provided in a single cost effective platform with all of the essential features expected by a modern small business operation.

The eNet660S is a SIP standards voice over IP (VoIP) system offering most of the features expected in any key hybrid system such as auto attendant, voicemail, multiline appearances, DSS/BLF, IP Trunk access, and much more. It also includes data features such as a built in router with firewall capabilities, and an 802.11 g/n wireless access point.

With its plug and play attributes, the eNet660S can be set up and made operational in minutes. Setup features include, a system programming wizard, plug and play automatic detection of the eNet660S station sets, and automatic assignment of extension numbers.



PhoneGuys Voice & Data Systems, Inc.
17875 Metzler Lane
Huntington Beach, CA 92647
(800) 322-5443 Toll Free
(714) 843-9999 Main



#1 In Service & Support Since 1992.

eNet660S Intelligent Gateway

Specifications

Hardware

- 6 FXO Ports (PSTN Lines)
- 1 FXS Ports (For fax and for lifeline — closest FXO to FXS)
- 2 Ethernet Ports (1 10/100/1000 to WAN, 1 10/100 to LAN)
- 1 USB port(Host for Printer Sever and External Memory)
- 1 WPS button
- 1 Power Plug
- 1 Reset Button

Voice

- SIP: Compliant with IETF RFC3261 standards
- SDP: Compliant with IETF RFC2327 standards
- Codec: G711A/U, G726

System

- Max. 8 SIP Trunks
- Max. 24 IP Extensions
- Max 1 SLT or Fax Extension
- Supports auto-discovery for WIN phones
- ENIP2032, ENIP2061

Call Features

- Auto Attendant & Voice Mail
- Call Forward - All Calls/Busy/no Answer/DSD
- Call hold
- Call Routing
- Call Transferring Class of Service (COS)
- CO Line Flash
- Conferencing
- Class Of Service Programming
- COS Following
- Daylight Saving Time
- Direct Inward Dialing on IP trunk
- Distinctive Ringing
- Emergency Call
- Feature Key Programming
- Feature Code Access
- Hands free Mode
- Headset Mode
- Hunt Group
- Message Waiting Indication
- Multi-Line LED Appearance
- Music On Hold
- Numbering Plan

- Office to Office
- Paging – All/ Group
- WIN Plug and Play Phones
- PSTN Lifeline Backup
- Remote Management via PC
- Station Message Detailed Recording (SMDR)
- System Speed Dialing
- Toll Restriction
- Web GUI
- Wizard Setup

Data Networking

- Static IP/ Dynamic IP/ PPPoE
- DHCP Serve/Client
- Dynamic DNS
- NAT & Routing
- Virtual Server/DMZ
- USB Host Application
- QoS
- Firewall Security
- Remote Diagnostics/Management
- TR-069(Optional)

Certificate

- FCC/CE Class B
- UL/CE 60950



PhoneGuys Voice & Data Systems, Inc.
17875 Metzler Lane
Huntington Beach, CA 92647
(800) 322-5443 Toll Free
(714) 843-9999 Main

ENIP2032

Basic IP Phone



#1 In Service & Support Since 1992.

The ENIP 2032 is the low cost IP phone for the eNet660S Intelligent Gateway. It supports all features of the eNet660S including two soft programmable keys that can be used for features and or direct line appearances. It also has a 2 line by sixteen character display, and speakerphone. In addition it has full plug and play capabilities that allow it to seek and automatically register itself to the installed server. The ENIP2032 is the perfect phone for areas such as warehouses and entry lobbies where a premium phone is not required.

Specifications

- DHCP and Static IP address assignment
- 2 line by 16 character alphanumeric backlit display
- Caller ID with Call blocking
- Call Hold/Forward/Transfer, DND
- 3-way Conferencing
- Call Record
- 2 soft programmable keys
- 4 LCD menu driven soft keys
- LCD menu and phone programming
- Phone book with 200 entries
- Speakerphone
- Headset support
- SIP V2.0 protocol support
- Built in 2 port 10/100 base-T switch
- DTMF tone generation and detection
- Out-of-Band DTMF relay (RFC - 2833) support
- Power Over Ethernet Support (802.3af)



PhoneGuys Voice & Data Systems, Inc.
17875 Metzler Lane
Huntington Beach, CA 92647
(800) 322-5443 Toll Free
(714) 843-9999 Main

ENIP2061 Intelligent IP Phone



The ENIP 2061 is the primary IP phone for the eNet660S Intelligent Gateway. It supports all features of the eNet660S including four soft programmable keys that can be used for features and or direct line appearances. It also has a 4 line by sixteen character backlit display, speakerphone, and supports an optional 26 button feature module. In addition it has full plug and play capabilities that allow it to seek and automatically register itself to the installed server.

Specifications

- DHCP and Static IP address assignment
- 4 line by 16 character alphanumeric backlit display
- Caller ID with Call blocking
- Call Hold/Forward/Transfer, DND
- 3-way Conferencing
- Call Record
- 4 soft programmable keys
- 4 LCD menu driven soft keys
- LCD menu and phone programming
- Phone book with 400 entries
- Speakerphone
- Headset support
- SIP V2.0 protocol support
- Built in 2 port 10/100 base-T switch
- DTMF tone generation and detection
- Out-of-Band DTMF relay (RFC - 2833) support
- Power Over Ethernet Support (802.3af)



PhoneGuys Voice & Data Systems, Inc.
17875 Metzler Lane
Huntington Beach, CA 92647
(800) 322-5443 Toll Free
(714) 843-9999 Main